

 中恒元通 ZHYT Auto Import and Export	Xiaomi SU7 2024 rear-wheel drive standard long-range smart driving version	Xiaomi SU7 2024 rear-drive ultra-long battery life high-end smart driving Pro version	Xiaomi SU7 2024 four-wheel drive ultra-long battery life high-end smart driving Max version

Basic Information

<u>Manufacturer</u>	Xiaomi	Xiaomi	Xiaomi
<u>level</u>	Medium and large cars 	Medium and large cars	Medium and large cars
<u>Energy_type</u>	Pure electric 	Pure electric	Pure electric
<u>Listing_time</u>	2024.03	2024.03	2024.03
<u>Motor</u>	Pure electric 299 horsepower	Pure electric 299 horsepower	Pure electric 673 horsepower
<u>Pure Electric Miles (KM). Ministry of Industry and Information Technology.</u>	700	830	800
Pure Electric Mileage (KM) CLTC	700	830	800
<u>Charging_time (hour)</u>	Fast charge 0.42 hours	Fast charge 0.5 hours	Fast charge 0.32 hours
<u>Fast charging volume (%)</u>	10-80	10-80	10-80
<u>Maximum power (KW)</u>	220 (299ps)	220 (299ps)	495 (673ps)
<u>Maximum torque (n · m)</u>	400	400	838
<u>Gearbox</u>	Single speed gearbox of electric vehicles 	Single speed gearbox of electric vehicles	Single speed gearbox of electric vehicles
<u>Long x wide x height (mm)</u>	4997x1963x1455	4997x1963x1455	4997x1963x1440
<u>Body_structure</u>	4 doors and 5 sedes	4 doors and 5 sedes	4 doors and 5 sedes
Most speed (km/h)	210	210	265
<u>Official 100-kilometer acceleration time (s)</u>	5.28	5.7	2.78
<u>Power consumption per 100 kilometers (KWH/100KM)</u>	12.3kwh	-	13.7kWh
Electric energy equivalent fuel consumption (L/100km)	1.39	-	1.55
<u>Vehicle warranty_period</u>	5 years or 100,000 kilometers	5 years or 100,000 kilometers	5 years or 100,000 kilometers
Body			
<u>Long (mm)</u>	4997	4997	4997

<u>Width_(mm)</u>	1963	1963	1963
<u>High_(mm)</u>	1455	1455	1440
<u>Wheelbar_(mm)</u>	3000	3000	3000
<u>Front wheel_(mm)</u>	1693	1693	1693
<u>Rear wheel distance_(mm)</u>	1699	1699	1699
<u>Body structure</u>	Sedan ?	Sedan	Sedan
<u>Drims_(one)</u>	4	4	4
<u>Door opening method</u>	Open door ?	Open door	Open door
<u>Number of seats_(one)</u>	5	5	5
<u>Mass_(KG)</u>	1980	2090	2205
<u>Full load quality_(kg)</u>	2430	2540	2655
The front luggage compartment accumulation (L)	105	105	105
<u>Baggatal compartment volume_(L)</u>	622	622	598
<u>Wind resist coefficient_(CD)</u>	0.195	0.195	0.195

Motor

<u>Electric description</u>	Pure electric 299 horsepower	Pure electric 299 horsepower	Pure electric 673 horsepower
<u>Motor type</u>	Permanent magnet/synchronization ?	Permanent magnet/synchronization	Forefront/asynchronous permanent magnet/synchronization
<u>Total electric motor power_(KW)</u>	220	220	495
<u>Total horsepower of the motor_(PS)</u>	299	299	673
<u>Total torque_(n · m)</u>	400	400	838
<u>Maximum power_(KW) of the front motor_(KW)</u>	-	-	220
<u>The maximum torque of the front motor_(n · m)</u>	-	-	338
<u>The maximum power of the post -electric motor_(KW)</u>	220	220	275
<u>The maximum torque_(n · m) of the post -electric motor</u>	400	400	500
<u>Drive motor number</u>	Single -motor	Single -motor	Dual motor ?
<u>Motor layout</u>	Rear	Rear	Front+rear ?

Charging batteries

<u>Battery Type</u>	Lithium iron phosphate ? battery	Lithium iron phosphate battery	Ternary lithium battery ?
<u>Battery characteristic technology</u>	Blade battery ?	God line	Kirin battery

<u>Battery brand</u>	Ferdie	Ningde Times	Ningde Times
<u>Battery pack</u>	8 years or 160,000 miles	8 years or 160,000 miles	8 years or 160,000 miles
<u>Battery capacity (KWH)</u>	73.6	94.3	101
<u>Battery energy density (WH/KG)</u>	-	-	-
<u>Charging batteries</u>	Fast charge 0.42 hours	Fast charge 0.5 hours	Fast charge 0.32 hours
	• Fast charging interface	• Fast charging interface	• Fast charging interface
Fast charge interface position	Left oil tank position	Left oil tank position	Left oil tank position
Slow charge port position	Left oil tank position	Left oil tank position	Left oil tank position
<u>Battery temperature management system</u>	Low temperature heating	Low temperature heating	Low temperature heating
	• Liquid cooling	• Liquid cooling	• Liquid cooling
<u>Single pedal mode</u>	• Standard	• Standard	• Standard
<u>VTOL mobile power station function</u>	• Standard	• Standard	• Standard
Maximum external discharge power (KW)	3.5	3.5	3.5

Gearbox

<u>Transmission description</u>	Single speed gearbox of electric vehicles	Single speed gearbox of electric vehicles	Single speed gearbox of electric vehicles
<u>Number of gears</u>	1	1	1
<u>Transmission type</u>	Fixed teeth ratio gearbox	Fixed teeth ratio gearbox	Fixed teeth ratio gearbox

Chassis/steering

<u>Drive method</u>	Rear drive	Rear drive	Dual motor four -wheel drive
<u>Four -wheel drive type</u>	-	-	Four -wheel drive
<u>Front suspension form</u>	Double fork arm -type independent suspension	Double fork arm -type independent suspension	Double fork arm -type independent suspension
<u>Rear suspension form</u>	Multi -link independent suspension	Multi -link independent suspension	Multi -link independent suspension
<u>Steering type</u>	Electric help	Electric help	Electric help
<u>Body structure</u>	Bearer	Bearer	Bearer

Wheel/brake

<u>Preparatory brake type</u>	Ventilation	Ventilation	Ventilation
<u>Rear brake type</u>	Ventilation	Ventilation	Ventilation
<u>Parking brake type</u>	Electronic parking	Electronic parking	Electronic parking
<u>Preliminary Tire Specifications</u>	245/45 R19	245/45 R19	245/45 R19
<u>Rear tire specifications</u>	245/45 R19	245/45 R19	245/45 R19
<u>Spare tire specification</u>	-	-	-

Active safety • Standard ◦ Optional - none

<u>ABS</u>	• Standard	• Standard	• Standard
<u>Braking power distribution (EBD/CBC, etc.)</u>	• Standard	• Standard	• Standard
<u>Brake assist (eba/ba, etc.)</u>	• Standard	• Standard	• Standard
<u>Direction control (TCS/ASR, etc.)</u>	• Standard	• Standard	• Standard
<u>Body Stability System (ESP/DSC, etc.)</u>	• Standard	• Standard	• Standard
<u>Active safety early warning system</u>	• Lane departure warning 	• Lane departure warning	• Lane departure warning
	• Ahead of the collision warning 	• Ahead of the collision warning	• Ahead of the collision warning
	• Rear collision warning	• Rear collision warning	• Rear collision warning
	• Circular warning 	• Circular warning	• Circular warning
	• DOW opening warning 	• DOW opening warning	• DOW opening warning
<u>Active brake</u>	• Standard	• Standard	• Standard
<u>Parallel auxiliary</u>	• Standard	• Standard	• Standard
<u>Movement auxiliary system</u>	• Standard	• Standard	• Standard
<u>Hold in the lane</u>	• Standard	• Standard	• Standard
<u>Fatigue driving tips</u>	• Standard	• Standard	• Standard
Active DMS fatigue detection	• Standard	• Standard	• Standard
In -car life signs detection	-	-	-
<u>Road traffic identification</u>	• Standard	• Standard	• Standard
Signal light recognition	-	◦ Optional	◦ Optional
<u>Night vision system</u>	-	-	-

Passive safety • Standard ◦ Optional - none

<u>Front row airbag</u>	• Main driving position	• Main driving position	• Main driving position
	• Co -pilot position	• Co -pilot position	• Co -pilot position
<u>Side airbag</u>	• Front row	• Front row	• Front row
<u>Sideline</u>	• Standard	• Standard	• Standard
<u>Front -row knee airbag</u>	-	-	-
<u>Central airbag</u>	• Front row	• Front row	• Front row
<u>The seat belt is not told</u>	• Standard	• Standard	• Standard
<u>Tire pressure monitoring system</u>	• Tire pressure display 	• Tire pressure display	• Tire pressure display
<u>Children's seat interface (ISOFIX)</u>	• Standard	• Standard	• Standard
<u>Passive pedestrian protection</u>	• Standard	• Standard	• Standard

<u>Safety tire</u>	-	-	-
Auxiliary/control configuration • Standard ◦ Optional - none			
<u>Parking radar</u>	• forward	• forward	• forward
	• back	• back	• back
<u>Reminder from the front car</u>	• Standard	• Standard	• Standard
<u>Driving Auxiliary Image</u>	• Reverse image 	• Reverse image	• Reverse image
	• 360 ° panoramic image 	• 360 ° panoramic image	• 360 ° panoramic image
	• Transparent image	• Transparent image	• Transparent image
<u>Cruise system</u>	• Fixed -speed cruise 	• Fixed -speed cruise	• Fixed -speed cruise
	• Adaptive cruise 	• Adaptive cruise	• Adaptive cruise
	• Adapt to cruise at full speed 	• Adapt to cruise at full speed	• Adapt to cruise at full speed
<u>Automatic Taoist Assistance</u>	• Standard	• Standard	• Standard
The ramp is automatically drove out (in)	◦ Optional	◦ Optional	◦ Optional
<u>Auxiliary driving level</u>	• L2 level 	• L2 level	• L2 level
<u>Automatic parking</u>	• Standard	• Standard	• Standard
Direction of a trace	◦ Optional	◦ Optional	◦ Optional
Memory	◦ Optional	◦ Optional	◦ Optional
<u>Autohold (Autohold)</u>	• Standard	• Standard	• Standard
<u>Uphill assist (HAC)</u>	• Standard	• Standard	• Standard
<u>Slow down slope (HDC)</u>	-	-	-
<u>Variable suspension adjustment</u>	-	-	• Soft and hard+high and low
<u>Air suspension</u>	-	-	• Standard
<u>Electromagnetic sensor suspension</u>	-	-	-
<u>Variable steering ratio system</u>	-	-	-
<u>Ahead bridge limited slip method</u>	-	-	-
<u>Rear bridge limited slip method</u>	-	-	-
<u>Central differential lock function</u>	-	-	-
<u>Overall active steering system</u>	-	-	-
<u>Driving mode selection</u>	• sports	• sports	• sports
	• Snow	• Snow	• Snow
	• personalised	• personalised	• personalised
	• Comfortable	• Comfortable	• Comfortable

	• Eco/Economy –	• Eco/Economy –	• Eco/Economy • Ejection mode
<u>Braking energy recycling system</u>	• Standard	• Standard	• Standard
<u>Low -speed driving warning sound</u>	• Standard	• Standard	• Standard
External configuration	• Standard ◦ Optional – none		
<u>Skylight type</u>	• Do not open the panoramic sunroof	• Do not open the panoramic sunroof	• Do not open the panoramic sunroof
Light	–	–	–
<u>Roof luggage rack</u>	–	–	–
<u>Sport -appearance kit</u>	–	–	–
<u>Electric spoiler</u>	–	◦ Optional 6000 yuan	• Standard
<u>Active closed intake grille</u>	• Standard	• Standard	• Standard
<u>Aluminum alloy wheel</u>	• Standard	• Standard	• Standard
Frameless design car door	• Standard	• Standard	• Standard
<u>Hidden door handle</u>	–	–	–
Drag	–	–	–
Internal configuration	• Standard ◦ Optional – none		
<u>Steering wheel material</u>	• Genuine Leather	• Genuine Leather	• Genuine Leather
<u>Steering wheel adjustment</u>	• Up and down+front and back	• Up and down+front and back	• Up and down+front and back
<u>Steering wheel electric adjustment</u>	–	–	• Standard
<u>Steering wheel function</u>	• Multifunctional control	• Multifunctional control	• Multifunctional control
	–	–	• memory
<u>Driving computer screen</u>	• heating	• heating	• heating
<u>LCD instrument style</u>	• color	• color	• color
LCD instrument size (inch)	• Full LCD	• Full LCD	• Full LCD
• 7.1	• 7.1	• 7.1	• 7.1
Comfort/anti -theft configuration	• Standard ◦ Optional – none		
<u>Electric suction door</u>	–	–	• Standard
<u>Electric rear door</u>	• Standard	• Standard	• Standard
<u>Sensor rear door</u>	–	–	–
<u>Electric rear door position memory</u>	• Standard	• Standard	• Standard
<u>Internal control of the car</u>	• Standard	• Standard	• Standard
<u>Remote control key type</u>	• NFC/RFID key	• NFC/RFID key	• NFC/RFID key
	• Wearable key	• Wearable key	• Wearable key
	• Mobile Bluetooth key	• Mobile Bluetooth key	• Mobile Bluetooth key
<u>Keyless entry</u>	• Whole car	• Whole car	• Whole car

<u>Keyless startup</u>	• Standard	• Standard	• Standard
<u>Remote start</u>	• Standard	• Standard	• Standard
<u>Remote control mobile vehicle</u>	• Standard	• Standard	• Standard
<u>Vehicle Summon function</u>	◦ Optional	◦ Optional	◦ Optional
<u>Head up display system (HUD)</u>	-	-	• Standard
HUD projection size (inch)	-	-	• 56
<u>Built -in driving recorder</u>	• Standard	• Standard	• Standard
<u>Active noise reduction</u>	-	-	-
<u>Mobile phone wireless charging</u>	• Standard	• Standard	• Standard
Maximum power of mobile phone wireless charging (W)	50	50	50
<u>110V/220V/230V power socket</u>	-	-	-
<u>Luggage compartment 12V power interface</u>	• Standard	• Standard	• Standard
Seat configuration	• Standard ◦ Optional - none		
<u>Seat material</u>	• imitation leather	• imitation leather	• imitation leather
	◦ Genuine Leather	◦ Genuine Leather	◦ Genuine Leather
<u>Seat leather style</u>	◦ NAPPA leather 8000 yuan	◦ NAPPA leather 8000 yuan	◦ NAPPA leather 8000 yuan
<u>Sports style seat</u>	• Standard	• Standard	• Standard
<u>The second row of independent seats</u>	-	-	-
<u>Seat electric adjustment</u>	• Main driving position	• Main driving position	• Main driving position
	• Co -pilot position	• Co -pilot position	• Co -pilot position
<u>Overall adjustment of main driving seats</u>	• Move back and forth	• Move back and forth	• Move back and forth
	• Back -to -back angle	• Back -to -back angle	• Back -to -back angle
	• Adjustment	• Adjustment	• Adjustment
<u>Local adjustment of the main driving seat</u>	• waist	• waist	• waist
<u>Adjustable adjustment of the co -driving seat</u>	• Move back and forth	• Move back and forth	• Move back and forth
	• Adjustment	• Adjustment	• Adjustment
	• Back -to -back angle	• Back -to -back angle	• Back -to -back angle
<u>Local adjustment of co -driving seats</u>	-	-	-
<u>The overall adjustment of the seat in the second row</u>	-	-	-
<u>Local regulation in the second row of seats</u>	-	-	-
	• heating	• heating	• heating

<u>Front seat function</u>	• ventilation	• ventilation	• ventilation
	• memory	• memory	• memory
<u>Second row seat function</u>	• heating	• heating	• heating
<u>Boss key</u>	-	-	-
<u>Front/rear armrest</u>	• Front row	• Front row	• Front row
	• Back row	• Back row	• Back row
<u>Rear cup holder</u>	• Standard	• Standard	• Standard
<u>Heating/refrigeration cup holder</u>	-	-	-
<u>Packing ratio of rear seats</u>	• 40:60	• 40:60	• 40:60
<u>The second row of small table board</u>	-	-	-
Intelligent interconnection	• Standard	◦ Optional	- none
Central control screen size (inch)	• 16.1	• 16.1	• 16.1
Color screen resolution of the center console	3072x1920	3072x1920	3072x1920
Color screen pixel density (PPI) in the center console	• 225	• 225	• 225
Touch screen vibration feedback	-	-	-
<u>GPS navigation system</u>	• Standard	• Standard	• Standard
<u>AR real world navigation</u>	-	-	-
<u>Navigation road conditions information display</u>	• Standard	• Standard	• Standard
<u>Road rescue service</u>	• Standard	• Standard	• Standard
<u>Bluetooth/car phone</u>	• Standard	• Standard	• Standard
<u>Mobile phone interconnection mapping</u>	• Carlink	• Carlink	• Carlink
	• Original original machine	• Original original machine	• Original original machine
	• Carplay 	• Carplay	• Carplay
<u>Connected car</u>	• Standard	• Standard	• Standard
4G/5G network	• 5G	• 5G	• 5G
<u>OTA upgrade</u>	• Standard	• Standard	• Standard
<u>face recognition</u>	-	-	-
<u>Fingerprint recognition</u>	-	-	-
<u>Acoustic identification</u>	• Standard	• Standard	• Standard
<u>Emotional identification</u>	-	-	-
<u>Voice recognition control system</u>	• Standard	• Standard	• Standard
Voice free wake -up function	• Standard	• Standard	• Standard

Wake up recognition function in the voice subtraction area	• Master	• Master	• Master
	• Co -pilot	• Co -pilot	• Co -pilot
	• second row	• second row	• second row
Continuous voice recognition	• Standard	• Standard	• Standard
Visible	• Standard	• Standard	• Standard
Voice Assistant Waking Word	Little Love Classmate	Little Love Classmate	Little Love Classmate
<u>Gesture control function</u>	-	-	-
<u>Wi-Fi hotspot</u>	• Standard	• Standard	• Standard
Media entertainment • Standard ◦ Optional - none			
Multi -finger flying screen control	-	-	-
app Store	• Standard	• Standard	• Standard
<u>Multimedia interface</u>	• USB/Type-C	• USB/Type-C	• USB/Type-C
<u>USB/Type-C interface quantity</u>	• 3 in the front row	• 3 in the front row	• 3 in the front row
	• 2 in the rear row	• 2 in the rear row	• 2 in the rear row
USB/Type-C maximum charging power	67W in the front row	67W in the front row	67W in the front row
	Back row 18W	Back row 18W	Back row 18W
<u>Car TV</u>	-	-	-
<u>Rear LCD screen</u>	-	-	-
Analog	• Standard	• Standard	• Standard
K song function	• Standard	• Standard	• Standard
<u>Audio brand</u>	-	-	-
<u>Number of speakers (one)</u>	• 10	• 10	-
	◦ 25 6000 yuan	◦ 25 6000 yuan	• 25
<u>Back row multimedia control</u>	-	-	-
Light configuration • Standard ◦ Optional - none			
<u>Low beam lights</u>	• led	• led	• led
<u>High beam</u>	• led 	• led	• led
<u>Daytime running lights</u>	• Standard	• Standard	• Standard
<u>Adaptive far and near light</u>	• Standard	• Standard	• Standard
<u>Automatic headlight</u>	• Standard	• Standard	• Standard
<u>Turn to auxiliary light</u>	• Standard	• Standard	• Standard
<u>Front fog lights</u>	-	-	-
<u>Big lights turn with (AFS)</u>	-	-	-
<u>Big lantern height adjustment</u>	• Standard	• Standard	• Standard

<u>Big light cleaning function</u>	-	-	-
<u>Internal atmosphere light</u>	• 256 color	• 256 color	• 256 color
<u>Active environmental atmosphere light</u>	-	-	-
<u>Lighting feature function</u>	• Matrix	• Matrix	• Matrix
<u>Big lamp delay shutdown</u>	• Standard	• Standard	• Standard
<u>Front headlight rain fog mode</u>	-	-	-
Glass/rearview mirror	• Standard	◦ Optional	- none
<u>Electric window</u>	• Front row	• Front row	• Front row
	• Back row	• Back row	• Back row
<u>One -click lifting of the window</u>	• Whole car	• Whole car	• Whole car
<u>Window anti -clip hand function</u>	• Standard	• Standard	• Standard
<u>External rearview mirror function</u>	• Electric adjustment	• Electric adjustment	• Electric adjustment
	• heating	• heating	• heating
	• Electric folding	• Electric folding	• Electric folding
	• memory	• memory	• memory
	• Remove automatically	• Remove automatically	• Remove automatically
	• Automatic folding car	• Automatic folding car	• Automatic folding car
<u>Internal rearview mirror function</u>	• Automatic anti -glare	• Automatic anti -glare	• Automatic anti -glare
<u>Make -up mirror in the car</u>	• Main driving position+lighting	• Main driving position+lighting	• Main driving position+lighting
	• P to -has lighting	• P to -has lighting	• P to -has lighting
<u>Privacy of the rear row</u>	• Standard	• Standard	• Standard
<u>Sunshade in the car</u>	-	-	-
<u>Rainfall sensing rainwater</u>	• Standard	• Standard	• Standard
<u>Rear wiper</u>	-	-	-
<u>Multi -layer sound insulation glass</u>	-	-	-
<u>Poor electric shielding heating</u>	-	-	-
<u>Heat can spray water</u>	-	-	-
Air conditioner/refrigerator	• Standard	◦ Optional	- none
<u>Air conditioning control method</u>	• automatic	• automatic	• automatic
<u>Rear row independent air conditioner</u>	-	-	-
<u>Rear outlet</u>	• Standard	• Standard	• Standard
<u>Temperature partition control</u>	• Dual -zone air conditioner	• Dual -zone air conditioner	• Dual -zone air conditioner

<u>Car air purifier</u>	• Standard	• Standard	• Standard
<u>PM2.5 filter device in the car</u>	• Standard	• Standard	• Standard
Hepa filter device	-	-	-
<u>Ion</u>	-	-	-
<u>Channel device in the car</u>	-	-	-
<u>Car refrigerator</u>	◦ Optional 2000 yuan	◦ Optional 2000 yuan	◦ Optional 2000 yuan

Intelligent configuration

<u>Auxiliary driving operating system</u>	• Xiaomi pilot	• Xiaomi pilot	• Xiaomi pilot
<u>Auxiliary driving chip</u>	• Nvidia Drive Orin	-	-
	-	• Nvidia Drive Orin x*2	• Nvidia Drive Orin x*2
Auxiliary driving chip computing power (TOPS)	• 84	-	-
	-	• 508	• 508
<u>Intelligent system</u>	• Xiaomi hyperos	• Xiaomi hyperos	• Xiaomi hyperos
<u>Intelligent chip</u>	• Snapdragon 8295	• Snapdragon 8295	• Snapdragon 8295
<u>Mobile app remote control</u>	• Numeric key	• Numeric key	• Numeric key
	• Vehicle monitoring	• Vehicle monitoring	• Vehicle monitoring
	• remote control	• remote control	• remote control
	• Charging management	• Charging management	• Charging management
	• Service appointment	• Service appointment	• Service appointment
	• Smart car search assistant	• Smart car search assistant	• Smart car search assistant
<u>Heat pump management system</u>	• Standard	• Standard	• Standard
Maximum detection distance (M)	-	• 200	• 200
Number of cameras outside the car (one)	• 11	• 11	• 11
Pixels outside the car	• 8 million*23 million*9	• 8 million*23 million*9	• 8 million*23 million*9
Number of cameras in the car (one)	• 1	• 1	• 1
Photography in the car	-	-	-
Number of ultrasonic radar (one)	• 12	• 12	• 12
Number of millimeter wave radar (one)	• 1	• 3	• 3
Number of laser radar (one)	-	• 1	• 1
Lidar brand	-	Hesai Technology	Hesai Technology
Number of Lidar Line (Line)	-	• 128	• 128
Number of laser radar points (10,000/second)	-	153	153

Yami -level high -precision positioning system	• Standard	• Standard	• Standard
<u>High -precision map</u>	-	-	-
Pentian (Qianli Eye) mode	• Standard	• Standard	• Standard
<u>V2X communication</u>	-	-	-
Optional package • Standard • Optional - none			
Customized selection	Optional appearance, interior, wheel hub, braker	Optional appearance, interior, wheel hub, braker	Optional appearance, interior, wheel hub, braker
Xiaomi pilot max	High -speed leading assistance: acceleration and deceleration channels, inlet and exit, automatic control speed, automatic overtaking, adaptive curve, construction aversion, large vehicle two -level avoidance, congestion prevention plug, exchange droolment avoidance.Self -study, one -click direct, reversing to avoid, polite pedestrians, carried along the way, obstacles by detouring, narrow positions, U - turning parking. Urban navigation assistance: traffic light traffic, acceleration of deceleration and roads, Polite pedestrians, congestion and preventing plugs, avoidance of two - wheeled vehicles, construction avoidance, special vehicle identification.	High -speed leading assistance: acceleration and deceleration channels, inlet and exit, automatic control speed, automatic overtaking, adaptive curve, construction aversion, large vehicle two -level avoidance, congestion prevention plug, exchange droolment avoidance.Self -study, one -click direct, reversing to avoid, polite pedestrians, carried along the way, obstacles by detouring, narrow positions, U - turning parking. Urban navigation assistance: traffic light traffic, acceleration of deceleration and roads, Polite pedestrians, congestion and preventing plugs, avoidance of two - wheeled vehicles, construction avoidance, special vehicle identification.	High -speed leading assistance: acceleration and deceleration channels, inlet and exit, automatic control speed, automatic overtaking, adaptive curve, construction aversion, large vehicle two -level avoidance, congestion prevention plug, exchange droolment avoidance.Self -study, one -click direct, reversing to avoid, polite pedestrians, carried along the way, obstacles by detouring, narrow positions, U - turning parking. Urban navigation assistance: traffic light traffic, acceleration of deceleration and roads, Polite pedestrians, congestion and preventing plugs, avoidance of two - wheeled vehicles, construction avoidance, special vehicle identification.
	-	◦ Optional 26,000 yuan	◦ Optional 26,000 yuan
Xiaomi Pilot Pro	High -speed leading assistance: acceleration and deceleration channels, inlet and exit, automatic control speed, automatic overtaking, adaptive curve, construction aversion, large vehicle two -level avoidance, congestion prevention plug, exchange droolment avoidance.Self -study, one -click direct, reverse, polite pedestrians, be carried along the way, obstacles around, narrow positions, turn around.		
	◦ Optional 18,000 yuan	-	-

Characteristic configuration

• Standard ◦ Optional - none

Human car family ecological space	• Standard	• Standard	• Standard
Ecological expansion space	• Standard	• Standard	• Standard

*The above parameter configuration information is for reference only. For details, please refer to the real car