

 ZHYT Auto Import and Export	AVATR 07 PRO rear drive EREV version	AVATR 07 MAX rear drive EREV version	AVATR 07 Ultra four - drive EREV version	AVATR 07 PRO rear drive EV version	AVATR 07 MAX rear drive EV version	AVATR 07 Ultra four drive EV version
---	--------------------------------------	--------------------------------------	--	------------------------------------	------------------------------------	--------------------------------------

Basic information

<u>Manufacturer</u>	AVATR Technology	AVATR Technology	AVATR Technology	AVATR Technology	AVATR Technology	AVATR Technology
<u>level</u>	Medium SUV	Medium SUV	Medium SUV	Medium SUV	Medium SUV	Medium SUV
<u>Energy type</u>	Extended process	Extended process	Extended process	Pure electric	Pure electric	Pure electric
<u>Listing time</u>	2024.09	2024.09	2024.09	2024.09	2024.09	2024.09
<u>Motor</u>	Extension 314 horsepower	Extension 314 horsepower	Extension 492 horsepower	Pure electric 343 horsepower	Pure electric 343 horsepower	Pure electric 598 horsepower
<u>Pure Electric Miles (KM) Ministry of Industry and Information Technology</u>	188	188	178	650	650	610
<u>Pure Electric Mileage (KM) WLTC</u>	188	188	178	-	-	-
<u>Pure Electric Mileage (KM) CLTC</u>	230	230	220	650	650	610
<u>Comprehensive endurance mileage (KM) Ministry of Industry and Information Technology</u>	1100	1100	1050	-	-	-
<u>High -pressure fast charge platform</u>	-	-	-	• 800V	• 800V	• 800V
<u>Charging time (hour)</u>	Fast charge 0.25 hours Slowly charging 7 hours	Fast charge 0.25 hours Slowly charging 7 hours	Fast charge 0.25 hours Slowly charging 7 hours	Fast charge 0.17 hours Slowly charging 14.5 hours	Fast charge 0.17 hours Slowly charging 14.5 hours	Fast charge 0.17 hours Slowly charging 14.5 hours
<u>Fast charging volume (%)</u>	30-80	30-80	30-80	30-80	30-80	30-80
<u>Maximum power (KW)</u>	231 (314ps)	231 (314ps)	362 (492ps)	252 (343ps)	252 (343ps)	440 (598ps)
<u>Maximum torque (n·m)</u>	367	367	629	365	365	645
<u>Gearbox</u>	Single speed gearbox of electric vehicles	Single speed gearbox of electric vehicles	Single speed gearbox of electric vehicles			
<u>Long x wide x height (mm)</u>	4825x1980x1620	4825x1980x1620	4825x1980x1610	4825x1980x1620	4825x1980x1620	4825x1980x1610
<u>Body structure</u>	5 -door and 5 -seater SUV	5 -door and 5 -seater SUV	5 -door and 5 -seater SUV			
<u>Most speed (km/h)</u>	190	190	190	200	200	200
<u>Official 100 -kilometer acceleration time (s)</u>	6.6	6.6	4.9	6.3	6.3	3.9
<u>WLTC comprehensive fuel consumption (L/100km)</u>	0.66	0.66	0.77	-	-	-
<u>Power consumption per 100 kilometers (KWH/100KM)</u>	19.3kwh	19.3kwh	20kWh	14.5kWh	14.5kWh	15.5kwh
<u>Electric energy equivalent fuel consumption (L/100km)</u>	2.18	2.18	2.26	1.64	1.64	1.75
<u>Minimum Lotus Power Status Consumption (L/100KM) Industry and Information Technology Department</u>	6.08	6.08	6.37	-	-	-
<u>Vehicle warranty period</u>	5 years or 120,000 kilometers	5 years or 120,000 kilometers	5 years or 120,000 kilometers			

Body

<u>Long (mm)</u>	4825	4825	4825	4825	4825	4825
<u>Width (mm)</u>	1980	1980	1980	1980	1980	1980
<u>High (mm)</u>	1620	1620	1610	1620	1620	1610
<u>Wheelbar (mm)</u>	2940	2940	2940	2940	2940	2940
<u>Front wheel (mm)</u>	1680	1680	1680	1680	1680	1680
<u>Rear wheel distance (mm)</u>	1690	1690	1690	1690	1690	1690
<u>Minimum ground clearance (mm)</u>	-	-	-	-	-	-
<u>Body structure</u>	SUV	SUV	SUV	SUV	SUV	SUV
<u>Drims (one)</u>	5	5	5	5	5	5
<u>Door opening method</u>	Open door 5	Open door				
<u>Number of seats (one)</u>	2240	5	5	5	5	5
<u>Mass (KG)</u>	2615	2240	2326	2315	2315	2434
<u>Full load quality (kg)</u>		2615	2701	2690	2690	2809

<u>The volume of the fuel tank (L)</u>	-	-	-	-	-	-
<u>Baggatal compartment volume (L)</u>	500-1325	500-1325	500-1325	590-1415	590-1415	590-1415
<u>Minimum turn radius</u>	-	-	3.2M	-	-	3.2M
<u>Wind resist coefficient (CD)</u>	0.259	0.259	0.259	0.259	0.259	0.259

engine

<u>Engine model</u>	Jl469zq1	Jl469zq1	Jl469zq1	-	-	-
<u>Displacement (ml)</u>	1497	1497	1497	-	-	-
<u>Displacement (L)</u>	1.5	1.5	1.5	-	-	-
<u>Formation</u>	Turbocharged	Turbocharged	Turbocharged	-	-	-
<u>Electrical layout form</u>	Horizontal	Horizontal	Horizontal	-	-	-
<u>Cylinder arrangement form</u>	L	L	L	-	-	-
<u>Cylinder number (one)</u>	4	4	4	-	-	-
<u>Number of valve per cylinder (one)</u>	4	4	4	-	-	-
<u>Compression ratio</u>	-	-	-	-	-	-
<u>Gas distribution agency</u>	DOHC	DOHC	DOHC	-	-	-
<u>Maximum horsepower (PS)</u>	156	156	156	-	-	-
<u>Maximum power (KW)</u>	115	115	115	-	-	-
<u>Maximum power speed (RPM)</u>	-	-	-	-	-	-
<u>Maximum torque (n · m)</u>	-	-	-	-	-	-
<u>Maximum torque speed (RPM)</u>	-	-	-	-	-	-
<u>Engine thermal efficiency (%)</u>	44.39	44.39	44.39	-	-	-
<u>Electric -specific technology</u>	-	-	-	-	-	-
<u>Fuel form</u>	Extended process	Extended process	Extended process	Pure electric	Pure electric	Pure electric
<u>Fuel label</u>	92#	92#	92#	-	-	-
<u>Fuel supply</u>	Direct injection in the cylinder	Direct injection in the cylinder	Direct injection in the cylinder	-	-	-
<u>Cylinder head material</u>	Aluminum alloy	Aluminum alloy	Aluminum alloy	-	-	-
<u>Cylinder material</u>	Aluminum alloy	Aluminum alloy	Aluminum alloy	-	-	-
<u>Environmental standard</u>	VI	VI	VI	-	-	-

Motor

<u>Electric description</u>	Extension 314 horsepower	Extension 314 horsepower	Extension 492 horsepower	Pure electric 343 horsepower	Pure electric 343 horsepower	Pure electric 598 horsepower
<u>Motor type</u>	Permanent magnet/synchronization					
<u>Total electric motor power (KW)</u>	231	231	362	252	252	440
<u>Total horsepower of the motor (PS)</u>	314	314	492	343	343	598
<u>Total torque (n · m)</u>	367	367	629	365	365	645
<u>Maximum power (KW) of the front motor (KW)</u>	-	-	131	-	-	188
<u>The maximum torque of the front motor (n · m)</u>	-	-	262	-	-	280
<u>The maximum power of the post -electric motor (KW)</u>	231	231	231	252	252	252
<u>The maximum torque (n · m) of the post -electric motor</u>	367	367	367	365	365	365
<u>Drive motor number</u>	Single -motor	Single -motor	Dual motor	Single -motor	Single -motor	Dual motor
<u>Motor layout</u>	Rear	Rear	Front+rear	Rear	Rear	Front+rear

Battery/charging

<u>Battery Type</u>	Lithium iron phosphate battery					
<u>Battery brand</u>	Ningde Times					
<u>Battery pack</u>	8 years or 160,000 miles					
<u>Battery capacity (KWH)</u>	39.05	39.05	39.05	82.16	82.16	82.16
<u>Battery energy density (WH/KG)</u>	-	-	-	-	-	-
<u>Battery charging rate</u>	• 3C					

<u>Battery charging</u>	Fast charge 0.25 hours Slowly charging 7 hours	Fast charge 0.25 hours Slowly charging 7 hours	Fast charge 0.25 hours Slowly charging 7 hours	Fast charge 0.17 hours Slowly charging 14.5 hours	Fast charge 0.17 hours Slowly charging 14.5 hours	Fast charge 0.17 hours Slowly charging 14.5 hours
<u>Fast charge interface position</u>	Left oil tank position	Left oil tank position	Left oil tank position			
<u>Slow charge port position</u>	Left oil tank position	Left oil tank position	Left oil tank position			
<u>Battery temperature management system</u>	• Low temperature heating • Liquid cooling	• Low temperature heating • Liquid cooling	• Low temperature heating • Liquid cooling			
<u>Single pedal mode</u>	-	-	-	-	-	-
<u>VTOL mobile power station function</u>	• Standard	• Standard	• Standard	• Standard	• Standard	• Standard
<u>VTOL maximum external discharge power</u>	3.3KW	3.3KW	3.3KW	3.3KW	3.3KW	3.3KW
<u>VTOV maximum external discharge power</u>	-	-	-	-	-	-

Gearbox

<u>Transmission description</u>	Single speed gearbox of electric vehicles					
<u>Number of gears</u>	1	1	1	1	1	1
<u>Transmission type</u>	Fixed teeth ratio gearbox					

Chassis/steering

<u>Drive method</u>	Rear drive	Rear drive	Dual motor four -wheel drive	Rear drive	Rear drive	Dual motor four -wheel drive
<u>Four -wheel drive type</u>	-	-	Four -wheel drive	-	-	Four -wheel drive
<u>Front suspension form</u>	Double fork arm -type independent suspension					
<u>Rear suspension form</u>	Multi -link independent suspension					
<u>Steering type</u>	Electric help					
<u>Body structure</u>	Bearer	Bearer	Bearer	Bearer	Bearer	Bearer

Wheel/brake

<u>Preparatory brake type</u>	Ventilation	Ventilation	Ventilation	Ventilation	Ventilation	Ventilation
<u>Rear brake type</u>	Ventilation	Ventilation	Ventilation	Ventilation	Ventilation	Ventilation
<u>Parking brake type</u>	Electronic parking					
<u>Preliminary Tire Specifications</u>	255/50 R20	255/50 R20	265/45 R21	255/50 R20	255/50 R20	265/45 R21
<u>Rear tire specifications</u>	255/50 R20	255/50 R20	265/45 R21	255/50 R20	255/50 R20	265/45 R21
<u>Spare tire specification</u>	-	-	-	-	-	-
<u>Spare tire placement method</u>	-	-	-	-	-	-

Active safety • Standard ◦ Optional - none

<u>ABS</u>	• Standard					
<u>Braking power distribution (EBD/CBC, etc.)</u>	• Standard					
<u>Brake assist (eba/ba, etc.)</u>	• Standard					
<u>Direction control (TCS/ASR, etc.)</u>	• Standard					
<u>Body Stability System (ESP/DSC, etc.)</u>	• Standard					
<u>Active safety early warning system</u>	• Lane departure warning					
	• Ahead of the collision warning					
	• Rear collision warning					
	• Circular warning					
	• DOW opening warning					
	• Traffic early warning ahead					
<u>Active brake</u>	• Traffic travel in front					
	-	-	-	-	-	-
<u>Parallel auxiliary</u>	• Standard					
<u>Movement auxiliary system</u>	• Standard					
<u>Hold in the lane</u>	• Standard					

<u>Fatigue driving tips</u>	• Standard					
<u>Active DMS fatigue detection</u>	• Standard					
<u>In -car life signs detection</u>	• Standard					
<u>Road traffic identification</u>	• Standard					
<u>Signal light recognition</u>	• Standard					
<u>Night vision system</u>	-	-	-	-	-	-

Passive safety	• Standard	◦ Optional	- none			
<u>Front row airbag</u>	• Main driving position					
	• Co -pilot position					
<u>Side airbag</u>	• Front row					
	• Back row					
<u>Sideline</u>	• Standard					
<u>Front -row knee airbag</u>	-	-	-	-	-	-
<u>Central airbag</u>	• Front row					
<u>The seat belt is not told</u>	• Standard					
<u>Tire pressure monitoring system</u>	• Tire pressure display					
<u>Children's seat interface (ISOFIX)</u>	• Standard					
<u>Passive pedestrian protection</u>	-	-	-	-	-	-
<u>Safety tire</u>	-	-	-	-	-	-

Auxiliary/control configuration	• Standard	◦ Optional	- none			
<u>Parking radar</u>	• forward					
	• back					
<u>Reminder from the front car</u>	-	-	-	-	-	-
	• Reversing image					
<u>Driving Auxiliary Image</u>	• 360 ° panoramic image					
	• Transparent image					
<u>Cruise system</u>	• Fixed -speed cruise					
	• Adaptive cruise					
<u>Automatic Taoist Assistance</u>	• Adapt to cruise at full speed					
	• Standard					
<u>The ramp is automatically drove out (in)</u>	• Standard					
<u>Navigation auxiliary driving</u>	• High -speed section					
	-	◦ Urban section	◦ Urban section	-	◦ Urban section	◦ Urban section
<u>Auxiliary driving level</u>	• L2 level					
<u>Automatic parking</u>	• Standard					
<u>Direction of a trace</u>	-	• Standard	• Standard	-	• Standard	• Standard
<u>Memory</u>	-	-	-	-	-	-
<u>Automatic passenger parking</u>	◦ Optional					
<u>Autohold (Autohold)</u>	• Standard					
<u>Uphill assist (HAC)</u>	• Standard					
<u>Slow down slope (HDC)</u>	• Standard					
<u>Engine start -stop technology</u>	-	-	-	-	-	-
<u>Variable suspension adjustment</u>	-	-	• Soft and hard+high and low	-	-	• Soft and hard+high and low
<u>Air suspension</u>	-	-	• Standard	-	-	• Standard
<u>Electromagnetic sensor suspension</u>	-	-	-	-	-	-
<u>Magic carpet smart suspension</u>	-	-	• Standard	-	-	• Standard
<u>Variable steering ratio system</u>	-	-	-	-	-	-
<u>Ahead bridge limited slip method</u>	-	-	-	-	-	-
<u>Rear bridge limited slip method</u>	-	-	-	-	-	-
<u>Central differential lock function</u>	-	-	-	-	-	-

<u>Low-speed four-wheel drive</u>	-	-	-	-	-	-
<u>Overall active steering system</u>	-	-	-	-	-	-
<u>Driving mode selection</u>	• sports					
	• Personalized					
	• Eco/Economy					
	• Comfortable					
<u>Braking energy recycling system</u>	• Standard					
<u>Low-speed driving warning sound</u>	• Standard					

External configuration • Standard ◦ Optional - none

<u>Skylight type</u>	• Do not open the panoramic sunroof					
<u>Light</u>	-	-	-	-	-	-
<u>Roof luggage rack</u>	-	-	-	-	-	-
<u>Sport -appearance kit</u>	-	-	-	-	-	-
<u>Electric spoiler</u>	-	-	-	-	-	-
<u>Active closed intake grille</u>	-	-	-	-	-	-
<u>Aluminum alloy wheel</u>	• Standard					
<u>Side pedal</u>	-	-	-	-	-	-
<u>Frameless design car door</u>	• Standard					
<u>Hidden door handle</u>	• Standard					
<u>Welcoming function</u>	• Seat welcoming					
	-	-	◦ Welcome light effect	-	-	◦ Welcome light effect
<u>Drag</u>	-	-	-	-	-	-

Internal configuration • Standard ◦ Optional - none

<u>Steering wheel material</u>	• Leather	• Leather	-	• Leather	• Leather	-
	-	◦ Genuine Leather	• Genuine Leather	-	◦ Genuine Leather	• Genuine Leather
<u>Steering wheel adjustment</u>	• Up and down+front and back					
<u>Steering wheel electric adjustment</u>	◦ Optional	• Standard	• Standard	◦ Optional	• Standard	• Standard
<u>Steering wheel function</u>	• Multifunctional control					
	◦ memory	• memory	• memory	◦ memory	• memory	• memory
	◦ heating	• heating	• heating	◦ heating	• heating	• heating
<u>Shift form</u>	• Electronic hose					
<u>Driving computer screen</u>	• color					
<u>LCD instrument style</u>	• Full LCD					
<u>LCD instrument size (inch)</u>	• 35.4	• 35.4	• 35.4	• 35.4	• 35.4	• 35.4

Comfort/anti-theft configuration • Standard ◦ Optional - none

<u>Electric suction door</u>	-	-	-	-	-	-
<u>Electric rear door</u>	• Standard					
<u>Sensor rear door</u>	-	-	-	-	-	-
<u>Electric rear door position memory</u>	• Standard					
<u>Electronic anti-theft</u>	-	-	-	-	-	-
<u>Internal control of the car</u>	• Standard					
	• Mobile Bluetooth key					
<u>Remote control key type</u>	• NFC/RFID key					
	• Whole car					
<u>Keyless entry</u>	• Standard					
<u>Keyless startup</u>	• Standard					
<u>Remote start</u>	• Standard					
<u>Remote control mobile vehicle</u>	• Standard					
<u>Vehicle Summon function</u>	◦ Optional					
<u>Head up display system (HUD)</u>	-	-	-	-	-	-
<u>Built-in driving recorder</u>	• Standard					
<u>Active noise reduction</u>	-	-	-	-	-	-
<u>Mobile phone wireless charging</u>	• Standard					
<u>110V/220V/230V power socket</u>	-	-	-	-	-	-

<u>Luggage compartment 12V power interface</u>	• Standard					
Seat configuration	• Standard	◦ Optional	- none			
<u>Seat material</u>	• imitation leather	• imitation leather	-	• imitation leather	• imitation leather	-
	-	◦ Genuine Leather	• Genuine Leather	-	◦ Genuine Leather	• Genuine Leather
<u>Seat leather style</u>	-	◦ NAPPA leather	• NAPPA leather	-	◦ NAPPA leather	• NAPPA leather
<u>Sports style seat</u>	-	-	-	-	-	-
<u>Seat layout</u>	• 2+3	• 2+3	• 2+3	• 2+3	• 2+3	• 2+3
<u>The second row of independent seats</u>	-	-	-	-	-	-
<u>The third row seat</u>	-	-	-	-	-	-
<u>Zero -gravity seat</u>	◦ Optional	• Standard	• Standard	◦ Optional	• Standard	• Standard
	• Main driving position					
<u>Seat electric adjustment</u>	• Co -pilot position					
	• Second row					
<u>Overall adjustment of main driving seats</u>	• Move back and forth					
	• Back -to -back angle					
	• Adjustment					
<u>Local adjustment of the main driving seat</u>	• Headrest					
	• waist					
	◦ Legged	• Legged	• Legged	◦ Legged	• Legged	• Legged
<u>Adjustable adjustment of the co -driving seat</u>	• Move back and forth					
	• Adjustment					
	• Back -to -back angle					
<u>Local adjustment of co - driving seats</u>	• Headrest					
	• waist					
	◦ Legged	• Legged	• Legged	◦ Legged	• Legged	• Legged
<u>The overall adjustment of the seat in the second row</u>	• Adjust the angle of the back					
<u>Local regulation in the second row of seats</u>	-	-	-	-	-	-
	• heating					
<u>Front seat function</u>	• ventilation					
	• memory					
	◦ massage	• massage	• massage	◦ massage	• massage	• massage
	• heating					
<u>Second row seat function</u>	-	-	• ventilation	-	-	• ventilation
	-	-	• massage	-	-	• massage
<u>Third row seat function</u>	-	-	-	-	-	-
<u>Boss key</u>	-	-	-	-	-	-
<u>Front/rear armrest</u>	• Front row					
	• Back row					
<u>Rear cup holder</u>	• Standard					
<u>Heating/refrigeration cup holder</u>	-	-	-	-	-	-
<u>Packing ratio of rear seats</u>	• 40:60	• 40:60	• 40:60	• 40:60	• 40:60	• 40:60
<u>The rear seats are pierced by electric electricity</u>	-	-	-	-	-	-
<u>The second row of small table board</u>	-	-	-	-	-	-

Intelligent interconnection • Standard ◦ Optional - none

<u>Central control screen size (inch)</u>	• 15.6	• 15.6	• 15.6	• 15.6	• 15.6	• 15.6
<u>Central control screen material</u>	-	-	-	-	-	-
<u>Touch screen vibration feedback</u>	-	-	-	-	-	-
<u>GPS navigation system</u>	• Standard					
<u>AR real world navigation</u>	-	-	-	-	-	-
<u>Navigation road conditions information display</u>	• Standard					
<u>Road rescue service</u>	• Standard					
<u>Bluetooth/car phone</u>	• Standard					

Mobile phone interconnection mapping	• Huawei hicar					
Connected car	• Standard					
4G/5G network	• 5G					
OTA upgrade	• Standard					
Facial recognition	• Standard					
Fingerprint recognition	-	-	-	-	-	-
Acoustic identification	-	-	-	-	-	-
Emotional identification	-	-	-	-	-	-
Voice recognition control system	• Standard					
Voice free wake -up function	• Standard					
Wake up recognition function in the voice subtraction area	• Master					
	• Co -pilot					
	• Second row					
Continuous voice recognition	• Standard					
Visible	• Standard					
Voice Assistant Waking Word	Little Tower and Little Tower					
Gesture control function	-	-	-	-	-	-
Wi-Fi hotspot	• Standard					

Video entertainment • Standard ◦ Optional - none

Multi -finger flying screen control	-	-	-	-	-	-
App store	• Standard					
Multimedia interface	• USB/Type-C					
USB/Type-C interface quantity	• 2 in the front row					
	• 1 back row					
USB/Type-C maximum charging power	60W in front row					
	Back row 18W					
Car TV	-	-	-	-	-	-
Rear LCD screen	-	-	-	-	-	-
Analog	-	-	-	-	-	-
Soothing (relaxing) mode	• Standard					
K song function	• Standard					
Audio brand	• British Treasure					
Number of speakers (one)	• 16	• 25	• 25	• 16	• 25	• 25
Audio layout	• 7.1	• 7.1.4	• 7.1.4	• 7.1	• 7.1.4	• 7.1.4
Geifiting maximum output power (W)	• 1408	• 2016	• 2016	• 1408	• 2016	• 2016
Seat speakers (headrest/shoulders)	• Standard					
Sky channel	-	• Standard	• Standard	-	• Standard	• Standard
Back row multimedia control	-	-	-	-	-	-

Light configuration • Standard ◦ Optional - none

Near -light light	• led					
High beam	• led					
Daytime running lights	• Standard					
Adaptive far and near light	• Standard					
Automatic headlight	• Standard					
Turn to auxiliary light	-	-	-	-	-	-
Front fog lamp	-	-	-	-	-	-
Big lights turn with (AFS)	-	-	-	-	-	-
Big lantern height adjustment	• Standard					
Big light cleaning function	-	-	-	-	-	-
Internal atmosphere light	• Multi -colored					
Active environmental atmosphere light	-	-	-	-	-	-
Lighting feature function	-	-	-	-	-	-

<u>Light projection technology</u>	-	-	-	-	-	-
<u>Big lamp delay shutdown</u>	• Standard					
<u>Front headlight rain fog mode</u>	-	-	-	-	-	-
Glass/rearview mirror	• Standard	◦ Optional	- none			
<u>Electric window</u>	• Front row • Back row					
<u>One -click lifting of the window</u>	• Whole car					
<u>Window anti -clip hand function</u>	• Standard					
<u>External rearview mirror function</u>	• Electric adjustment					
	• heating					
	• Electric folding					
	• memory					
	• Remove automatically					
	• Automatic folding car					
	-	-	◦ Automatic anti -glare	-	-	◦ Automatic anti -glare
	-	-	◦ Streaming	-	-	◦ Streaming
<u>Internal rearview mirror function</u>	• Automatic anti -glare					
<u>Make -up mirror in the car</u>	• Main driving position+lighting					
	• P to -has lighting					
<u>Privacy of the rear row</u>	-	-	• Standard	-	-	• Standard
<u>Sunshade in the car</u>	-	-	-	-	-	-
<u>Rainfall sensing rainwater</u>	-	-	-	-	-	-
<u>Rear wiper</u>	-	-	-	-	-	-
<u>Back window glass open</u>	-	-	-	-	-	-
<u>Multi -layer sound insulation glass</u>	• Front row					
<u>Poor electric shielding heating</u>	-	-	-	-	-	-
<u>Heat can spray water</u>	-	-	-	-	-	-
Air conditioner/refrigerator	• Standard	◦ Optional	- none			
<u>Air conditioning control method</u>	• automatic					
<u>Rear row independent air conditioner</u>	-	-	-	-	-	-
<u>Rear outlet</u>	• Standard					
<u>Hidden air -conditioning outlet</u>	• Standard					
<u>Temperature partition control</u>	• Dual -zone air conditioner					
<u>Car air purifier</u>	-	-	-	-	-	-
<u>PM2.5 filter device in the car</u>	• Standard					
<u>Hepa filter device</u>	-	-	-	-	-	-
<u>Ion</u>	-	-	-	-	-	-
<u>Channel device in the car</u>	-	• Standard	• Standard	-	• Standard	• Standard
<u>AQS Air Quality Management System</u>	-	-	-	-	-	-
<u>Car refrigerator</u>	-	-	-	-	-	-
<u>Car refrigerator function</u>	-	-	-	-	-	-
Intelligent configuration						
<u>Auxiliary driving operating system</u>	• Huawei ADS					
<u>Intelligent system</u>	• Harmonyos					
<u>Mobile app remote control</u>	• Numeric key					
	• Vehicle monitoring					
	• Remote control					
	• Charging management					
	• Service appointment					
<u>Heat pump management system</u>	-	-	-	• Standard	• Standard	• Standard

Number of cameras outside the car (one)	• 10	• 11	• 11	• 10	• 11	• 11
Pixels outside the car	-	-	-	-	-	-
Number of cameras in the car (one)	• 2	• 2	• 2	• 2	• 2	• 2
Photography in the car	-	-	-	-	-	-
Number of ultrasonic radar (one)	• 12	• 12	• 12	• 12	• 12	• 12
Number of millimeter wave radar (one)	• 3	• 3	• 3	• 3	• 3	• 3
Number of laser radar (one)	-	• 1	• 1	-	• 1	• 1
Number of Lidar Line (Line)	-	• 192	• 192	-	• 192	• 192
<u>Yami -level high -precision positioning system</u>	-	-	-	-	-	-
<u>High -precision map</u>	-	-	-	-	-	-
Pentian (Qianli Eye) mode	• Standard					
V2X communication	-	-	-	-	-	-

Optional package • Standard ◇ Optional - none

Customized selection	Optional appearance, interior, wheel hub, braker 1 choice package	Optional appearance, interior, wheel hub, braker 2 selection packages	Optional appearance, interior, wheel hub, braker 3 optional packages	Optional appearance, interior, wheel hub, braker 1 choice package	Optional appearance, interior, wheel hub, braker 2 selection packages	Optional appearance, interior, wheel hub, braker 3 optional packages
Optical technology set			HALO interactive screen, ultra -clear electronic exterior mirror, double 6.7 -inch HD visual screen, out -of -car intelligent welcome movement effect			HALO interactive screen, ultra -clear electronic exterior mirror, double 6.7 -inch HD visual screen, out -of -car intelligent welcome movement effect
Exclusive set		NAPPA leather steering wheel, full -grain NAPPA head layer leather seat, Dinamica® ultra -fiber velvet suede ceiling shed	◦ Optional 18,000 CNY	-	-	◦ Optional 18,000 CNY
Shuxiang set	The front row dual -zero -gravity seat, front seat massage, steering wheel electric adjustment, steering wheel heating	◦ Optional 12000 CNY	-	The front row dual -zero -gravity seat, front seat massage, steering wheel electric adjustment, steering wheel heating	◦ Optional 12000 CNY	-

*The above parameter configuration information is for reference only. For details, please refer to the real car